


## Description










DME PROLINK's Fiber Optic Raceway System is a cable reticulation management solution designed and manufactured specifically for Optic Fiber Patch-Cords, Multi-fiber Cable Assemblies and Intra-Facility Cables (IFC's). The system is designed to manage fibers cables with respect to bend-radius, fiber-crush and strain-relief. The raceway system is deliberately devoid of sharp edges offering seamless routing, ingress and egress paths to ensure the physical integrity of the cables in order to deliver maximum network performance.

## Features & Benefits




- Manufactured from Halogen-Free materials
- Fire retardant to UL 94
- RoHS Compliant
- Strong and Durable
- Fast and easy deployment
- High Flexibility with respect to design
- 25 Years System Warranty












	PART NUMBER	IMAGE	DIMENSION	MATERIAL
<b>MAIN DUCT</b>	D511-0305MD		<b>30X50 Main Duct</b> 33 X 48.5 X 1.5T Length : 2,000mm	PC & ABS (Halogen Free)
	D511-05MD		<b>50 Main Duct</b> 59 X 54.5 X 2.0T Length : 2,000mm	PC & ABS (Halogen Free)
	D511-10MD		<b>100 Main Duct</b> 120 X 106(+7) X 3.0T Length : 2,000mm	PC & ABS (Halogen Free)
	D511-16MD		<b>160 Main Duct</b> 181 X 106(+7) X 3.5T Length : 2,000mm	PC & ABS (Halogen Free)
	D511-22MD		<b>220 Main Duct</b> 241 X 106(+7) X 3.5T Length : 2,000mm	PC & ABS (Halogen Free)
	D511-30MD		<b>300 Main Duct</b> 321 X 106(+7) X 3.5T Length : 2,000mm	PC & ABS (Halogen Free)
<b>MAIN DUCT COVERS</b>	D511- 0305MDC		<b>30X50 Main Duct Cover</b> 36 X 8 X 1.5T Length : 2,000mm	PC & ABS (Halogen Free)
	D511-05MDC		<b>50 Main Duct Cover</b> 66 X 8.6 X 2.0T Length : 2,000mm	PC & ABS (Halogen Free)
	D511-10MDC		<b>100 Main Duct Cover</b> 120 X 16.5 X 2.0T Length : 2,000mm	PC & ABS (Halogen Free)











	PART NUMBER	IMAGE	DIMENSION	MATERIAL
<b>MAIN DUCT COVERS</b>	D511-16MDC		<b>160 Main Duct Cover</b> 181 X 17 X 3.5T Length : 2,000mm	PC & ABS (Halogen Free)
	D511-22MDC		<b>220 Main Duct Cover</b> 241 X 17 X 3.5T Length : 2,000mm	PC & ABS (Halogen Free)
	D511-30MDC		<b>300 Main Duct Cover</b> 321 X 17 X 3.5T Length : 2,000mm	PC & ABS (Halogen Free)
<b>CROSSES</b>	D511-10CA		<b>100 H-Cross</b> 260 X 106 X 3.0T Length : 260mm	PC & ABS (Halogen Free)
	D511-16CA		<b>160 H-Cross</b> 300 X 106 X 3.5T Length : 300mm	PC & ABS (Halogen Free)
	D511-22CA		<b>220 H-Cross</b> 360 X 106(+5) X 3.5T Length : 360mm	PC & ABS (Halogen Free)
	D511-30CA		<b>300 H-Cross</b> 440 X 106(+5) 3.5T Length : 440mm	PC & ABS (Halogen Free)
<b>CROSS COVER</b>	D511-10CAC		<b>100 H-Cross Cover</b> 265 X 34 X 3.0T Length : 265mm	PC & ABS (Halogen Free)
	D511-16CAC		<b>160 H-Cross Cover</b> 307 X 27 X 3.0T Length : 307mm	PC & ABS (Halogen Free)

	PART NUMBER	IMAGE	DIMENSION	MATERIAL
<b>CROSS COVER</b>	D511-22CAC		<b>220 H-Cross Cover</b> 367 X 34 X 3.0T Length : 367mm	PC & ABS (Halogen Free)
	D511-30CAC		<b>300 H-Cross Cover</b> 446.5 X 27 X 3.0T Length : 446.5mm	PC & ABS (Halogen Free)
<b>TEES</b>	D511-0305TA		<b>30X50 H-Tee</b> 75 X 52.5 X 1.5T Length : 55.5mm	PC & ABS (Halogen Free)
	D511-10TA		<b>100 H-Tee</b> 260 X 106 X 3.0T Length : 183mm	PC & ABS (Halogen Free)
	D511-16TA		<b>160 H-Tee</b> 300 X 106 X 3.5T Length : 233.5mm	PC & ABS (Halogen Free)
	D511-22TA		<b>220 H-Tee</b> 360 X 106(+5) X 3.5T Length : 293.5mm	PC & ABS (Halogen Free)
	D511-30TA		<b>300 H-Tee</b> 440 X 106(+5) X 3.5T Length : 373.5mm	PC & ABS (Halogen Free)
<b>TEE COVER</b>	D511-0305TAC		<b>30X50 H-Tee Cover</b> 59 X 9.5 X 1.5T Length : 47.5mm	PC & ABS (Halogen Free)
	D511-10TAC		<b>100 H-Tee Cover</b> 265 X 34 X 3.0T Length : 192.5mm	PC & ABS (Halogen Free)


	PART NUMBER	IMAGE	DIMENSION	MATERIAL
<b>TEE COVER</b>	D511-16TAC		<b>160 H-Tee Cover</b> 307 X 27 X 3.0T Length : 244mm	PC & ABS (Halogen Free)
	D511-22TAC		<b>220 H-Tee Cover</b> 367 X 34 X 3.0T Length : 304mm	PC & ABS (Halogen Free)
	D511-30TAC		<b>300 H-Tee Cover</b> 446.5 X 27 X 3.0T Length : 383.75mm	PC & ABS (Halogen Free)
<b>ELBOWS</b>	D511-0305HA		<b>30X50 H-Elbow 90'</b> 55.5 X 52.5 X 1.5 Length : 55.5mm	PC & ABS (Halogen Free)
	D511-10HA		<b>100 H-Elbow 45'</b> 126.6 X 106 X 3.0T Length : 126mm	PC & ABS (Halogen Free)
	D511-16HA		<b>160 H-Elbow 45'</b> 197.6 X 106 X 3.5T Length : 193.8mm	PC & ABS (Halogen Free)
	D511-22HA		<b>220 H-Elbow 45'</b> 257.7 X 106(+5) X 3.5T Length : 236.3mm	PC & ABS (Halogen Free)
	D511-30HA		<b>300 H-Elbow 45'</b> 337.7 X 106(+5) X 3.5T Length : 373.5mm	PC & ABS (Halogen Free)
	D511-0305HAC		<b>30X50 H-Elbow 90' Cover</b> 47.5 X 9.5 X 1.5T Length : 47.5mm	PC & ABS (Halogen Free)











	PART NUMBER	IMAGE	DIMENSION	MATERIAL
<b>ELBOW COVERS</b>	D511-10HAC		<b>100 H-Elbow 45' Cover</b> 140.6 X 34 X 3.0T Length : 135.5mm	PC & ABS (Halogen Free)
	D511-16HAC		<b>160 H-Elbow 45' Cover</b> 212.7 X 27 X 3.0T Length : 205.5mm	PC & ABS (Halogen Free)
	D511-22HAC		<b>220 H-Elbow 45' Cover</b> 272.7 X 34 X 3.0T Length : 247.8mm	PC & ABS (Halogen Free)
	D511-30HAC		<b>300 H-Elbow 45' Cover</b> 352.5 X 27 X 3.0T Length : 304mm	PC & ABS (Halogen Free)
<b>DOWN ELBOWS</b>	D511-05VDA		<b>50 V-Elbow 45' Down</b> 54 X 63.45 X 2.0T Length : 99mm	PC & ABS (Halogen Free)
	D511-10VDA		<b>100 V-Elbow 45' Down</b> 106 X 119.25 X 3.0T Length : 155.5mm	PC & ABS (Halogen Free)
	D511-16VDA		<b>160 V-Elbow 45' Down</b> 167 X 119.2 X 3.5T Length : 155.5mm	PC & ABS (Halogen Free)
	D511-22VDA		<b>220 V-Elbow 45' Down</b> 227 X 119.2 X 3.5T Length : 155.5mm	PC & ABS (Halogen Free)
	D511-30VDA		<b>300 V-Elbow 45' Down</b> 307 X 119.2 X 3.5T Length : 155.5mm	PC & ABS (Halogen Free)

	PART NUMBER	IMAGE	DIMENSION	MATERIAL
<b>DOWN ELBOW COVERS</b>	D511-05VDAC		<b>50 V-Elbow 45' Down Cover</b> 66 X 21.5 X 2.5T Length : 104.5mm	PC & ABS (Halogen Free)
	D511-10VDAC		<b>100 V-Elbow 45' Down Cover</b> 120 X 54.5 X 3.0T Length : 175.5mm	PC & ABS (Halogen Free)
	D511-16VDAC		<b>160 V-Elbow 45' Down Cover</b> 181 X 48.5 X 3.0T Length : 177mm	PC & ABS (Halogen Free)
	D511-22VDAC		<b>220 V-Elbow 45' Down Cover</b> 241 X 55 X 3.0T Length : 177mm	PC & ABS (Halogen Free)
	D511-30VDAC		<b>300 V-Elbow 45' Down Cover</b> 321 X 47.5 X 3.0T Length : 177mm	PC & ABS (Halogen Free)
<b>UP ELBOWS</b>	D511-05VUA		<b>50 V-Elbow 45' Up</b> 54 X 63 X 2.0T Length : 99mm	PC & ABS (Halogen Free)
	D511-10VUA		<b>100 V-Elbow 45' Up</b> 106 X 118 X 3.0T Length : 152.5mm	PC & ABS (Halogen Free)
	D511-16VUA		<b>160 V-Elbow 45' Up</b> 167 X 118.5 X 3.5T Length : 152mm	PC & ABS (Halogen Free)
	D511-22VUA		<b>220 V-Elbow 45' Up</b> 227 X 118.5 X 3.5T Length : 156mm	PC & ABS (Halogen Free)





PART NUMBER	IMAGE	DIMENSION	MATERIAL	
D511-30VUA		<b>300 V-Elbow 45' Up</b> 307 X 119 X 3.5T Length : 156mm	PC & ABS (Halogen Free)	
<b>UP ELBOW COVERS</b>	D511-05VUAC		<b>50 V-Elbow 45' Up Cover</b> 66 X 22.5 X 2.5T Length : 65mm	PC & ABS (Halogen Free)
	D511-10VUAC		<b>100 V-Elbow 45' Up Cover</b> 120 X 46 X 3.0T Length : 87.5mm	PC & ABS (Halogen Free)
	D511-16VUAC		<b>160 V-Elbow 45' Up Cover</b> 181 X 49.5 X 3.0T Length : 83.5mm	PC & ABS (Halogen Free)
	D511-22VUAC		<b>220 V-Elbow 45' Up Cover</b> 241 X 47 X 3.0T Length : 92.5mm	PC & ABS (Halogen Free)
	D511-30VUAC		<b>300 V-Elbow 45' Up Cover</b> 321 X 40 X 3.0T Length : 80.5mm	PC & ABS (Halogen Free)
	<b>REDUCERS</b>	D511-10RD		<b>100~50 Reducer</b> 106 X 106 X 3.0T Length : 110mm
D511-16RD			<b>160~100 Reducer</b> 167 X 106 X 3.5T Length : 125mm	PC & ABS (Halogen Free)
D511-22RD			<b>220~160 Reducer</b> 227 X 106 X 3.5T Length : 140mm	PC & ABS (Halogen Free)
D511-30RD			<b>300~220 Reducer</b> 307 X 106(+5) X 3.5T Length : 150mm	PC & ABS (Halogen Free)



	PART NUMBER	IMAGE	DIMENSION	MATERIAL
<b>REDUCER COVERS</b>	D511-10RDC		<b>100~50 Reducer Cover</b> 120 X 75 X 3.0T Length : 114.5mm	PC & ABS (Halogen Free)
	D511-16RDC		<b>160~100 Reducer Cover</b> 181 X 27 X 3.0T Length : 131mm	PC & ABS (Halogen Free)
	D511-22RDC		<b>220~160 Reducer Cover</b> 241 X 34 X 3.0T Length : 147mm	PC & ABS (Halogen Free)
	D511-30RDC		<b>300~220 Reducer Cover</b> 321 X 27 X 3.0T Length : 156.5mm	PC & ABS (Halogen Free)
<b>TRUMPET</b>	D511-05TP		<b>50 Trumpet Outlet</b> 96 X 54 X 2.0T Length : 45.5mm	PC & ABS (Halogen Free)
	D511-10TP		<b>100 Trumpet Outlet</b> 192 X 106 X 3.0T Length : 86mm	PC & ABS (Halogen Free)
	D511-16TP		<b>160 Trumpet Outlet</b> 260 X 200 X 3.5T Length : 80mm	PC & ABS (Halogen Free)
	D511-22TP		<b>220 Trumpet Outlet</b> 320 X 200 X 3.5T Length : 80mm	PC & ABS (Halogen Free)
	D511-30TP		<b>3300 Trumpet Outlet</b> 400 X 200 X 3.5T Length : 80mm	PC & ABS (Halogen Free)

	PART NUMBER	IMAGE	DIMENSION	MATERIAL
<b>END CAPS</b>	D511-10EC		<b>100 End Cap</b> 114.5 X 127 X 3.0T Length : 13mm	PC & ABS (Halogen Free)
	D511-16EC		<b>160 End Cap</b> 175 X 127 X 3.0T Length : 13mm	PC & ABS (Halogen Free)
	D511-22EC		<b>220 End Cap</b> 233 X 124 X 3.0T Length : 19mm	PC & ABS (Halogen Free)
	D511-30EC		<b>300 End Cap</b> 314 X 127 X 3.0T Length : 13mm	PC & ABS (Halogen Free)
<b>EXITS &amp; COVERS</b>	D511-10HT		<b>100 Horizontal Top Outlet</b> 288 X 153 X 3.0T Length : 200mm	PC & ABS (Halogen Free)
	D511-10HTC		<b>100 Horizontal Top Outlet Cover</b> 248 X 84.5 X 3.0T Length : 203mm	PC & ABS (Halogen Free)
	D511-10VT		<b>100 Vertical Top Outlet</b> 220 X 90 X 3.0T Length : 196mm	PC & ABS (Halogen Free)
	D511-10VTC		<b>100 Vertical Top Outlet Cover</b> 180 X 97.5 X 3.0T Length : 215mm	PC & ABS (Halogen Free)
<b>JOINERS</b>	D511-05JO		<b>50 Joiner</b> 58 X 56 X 2.0T Length : 34(+4)mm	PC & ABS (Halogen Free)
	D511-10JO		<b>100 Joiner</b> 112 X 109 X 3.0T Length : 45(+4)mm	PC & ABS (Halogen Free)

	PART NUMBER	IMAGE	DIMENSION	MATERIAL
<b>JOINERS</b>	D511-16JO		<b>160 Joiner</b> 196 X 119.5 X 3.0T Length : 55(+4)mm	PC & ABS (Halogen Free)
	D511-22JO		<b>220 Joiner</b> 256 X 119.5 X 3.0T Length : 55(+4)mm	PC & ABS (Halogen Free)
	D511-30JO		<b>300 Joiner</b> 336 X 119.5 X 3.0T Length : 55(+4)mm	PC & ABS (Halogen Free)
<b>ACCESSORIES</b>	D511-0305CP		<b>30X50 Cable Protect</b> 23.5 X 23 X 1.2T Length : 10mm	PC & ABS (Halogen Free)
	D511- DCLIP		<b>Duct Cover Clip</b> 40 X 38 X 2~2.5T Length : 17.5mm	PC & ABS (Halogen Free)
	D511- APP855 D511- APP857		<b>Insulator</b> Ø22 X 51 X 2.5T Ø31 X 8 X 2.5T	PC & ABS (Halogen Free) PVC
	D511- TBOLT		<b>T- Bolt &amp; Nut</b> 27.5 X 21 X 3.0T 20 X 8.5 X 2.5T (M6X24)	PC & ABS RUBBER SCM440
	D511- SKS		<b>Suspension kit (Short)</b>	SPCC & SCM440
	D511- SKL		<b>Suspension kit (Long)</b>	SPCC & SCM440

PART NUMBER	IMAGE	DIMENSION	MATERIAL
D511-16SMTB		<b>100 Mounting Bracket</b> <b>160 Mounting Bracket</b> 228 X 28 X 3.0T Length : 56mm	SPCC
D511-22SMTB		<b>220 Mounting Bracket</b> 290 X 28 X 3.0T Length : 56mm	SPCC
D511-30SMTB		<b>300 Mounting Bracket</b> 333 X 28 X 3.0T Length : 56mm	SPCC
D511-10DMTB		<b>Drop Mounting Bracket</b> 124 X 72 X 3.0T Length : 295mm	PC & ABS (Halogen Free)
D511-4JOLS D511-3JOSS		<b>Pan Head Screw(L)</b> M4 X 10(160~300 Joiners) <b>Pan Head Screw(S)</b> M3 X 6(50~100 Joiners)	SCM440
D511- APP854		<b>Structure Mounting Bracket</b> 112.5 X 63 X 6.0T Length : 50mm	SPCC
D511- APP856-1		<b>Structure(S) &amp; (L)</b> 50 X 50 X 6.0T L:3000 / S:1500mm	SPCC
D511- APP856-2		<b>Structure Joiners</b> 40 X 40 X 5.0T <b>Hex Screw(M10X25)</b> Length : 160mm	SPCC SCM440
D511- SP1KITS		<b>Long Nut(5/8")</b> Ø21 X 55mm <b>Anchor Set(5/8")</b> Ø21 X 122mm	SCM440
D511- SP2KITS		<b>Threaded Rod(5/8")</b> 5/8" X 600mm <b>Cap Nut &amp; Washer</b> 5/8" X 25mm	SCM440

ACCESSORIES