



Description

DME PROLINK's has wide range of Wall Mount cabinets which are available in any number of configurations to suit any environment or application.

Features & Benefits

- Static loading capability of up to 60 kg.
- Removable Side panels and Doors for Easy access.
- Glass or Perforated Front and Rear door options.
- Top or bottom cable entry
- Fan Tray with 1 / 2 Fans
- Standard 6-Way Power Distribution Unit (PDU) comes with Cabinets. (PDUs can be customized)
- Key Lock arrangement for added security
- Height (H): 6U, 9U, 12U, 15U, 16U, 18U, 22U
- Width (W): 600mm
- Depth (D): 500mm, 515mm, 550mm 600mm
- Optional casters and feet available for floor mounting
- 25 Years System Warranty



Construction

SPCC Quality cold rolled steel

Standards Compliance

- ❖ ANSI/EIA RS-310-D, IEC297-2, DIN41491; Part1, DIN41494; Part7, GB/T3047.2-92 Standard.
- ❖ Compatible with 19" international Standard and Metric Standard & ETSI.



Removable Side Panels with optional Lock



Cabinets Fans for Ventilation



Cabinet Shelf



Adjustable Mounting Rails



Switched 6 Way PDU



Adjustable Depth Shelf




Universal Lock




Screws & Cage Nuts



Grounding Kit



Product Selector



Part Number

D315-066051112BK	Cabinet, Wall Mount 6RU, 600 Wide, 515 Deep, 1 Shelf, 1 PDU, 2 Fans, Black (RAL9004)
D315-096045012BK	Cabinet, Wall Mount 9RU, 600 Wide, 450 Deep, no Shelf, 1PDU, 2 Fans, Black (RAL9004)
D315-126051112BK	Cabinet, Wall Mount 12RU, 600 Wide, 515 Deep, 1 Shelf, 1 PDU, 2 Fans, Black (RAL9004)
D315-126060112BK	Cabinet, Wall Mount 12RU, 600 Wide, 600 Deep, 1 Shelf, 1 PDU, 2 Fans, Black (RAL9004)
D315-156050112BK	Cabinet, Wall Mount 15RU, 600 Wide, 500 Deep, 1 Shelf, 1 PDU, 2 Fans, Black (RAL9004)
D315-186060112BK	Cabinet, Wall Mount 18RU, 600 Wide, 600 Deep, 1 Shelf, 1 PDU, 2 Fans, Black (RAL9004)

Note: Please refer Product Selector to generate Part Numbers for ordering.